

Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 0 783 239 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**09.07.1997 Bulletin 1997/28**

(51) Int. Cl.<sup>6</sup>: **H05B 6/80**

(21) Application number: **96307672.4**

(22) Date of filing: **23.10.1996**

(84) Designated Contracting States:  
**DE FR GB**

(30) Priority: **06.01.1996 KR 9600135**

(71) Applicant: **Samsung Electronics Co., Ltd.**  
**Suwon-city, Kyungki-do (KR)**


(72) Inventor: **Lee, Sung-Ho**  
**Suwon City, Kyungki-do (KR)**

(74) Representative: **Read, Matthew Charles et al**  
**Venner Shipley & Co.**  
**20 Little Britain**  
**London EC1A 7DH (GB)**

(54) **High voltage transformer assembly apparatus of microwave oven**

(57) The high-voltage transformer (20) of a microwave oven is directly mounted to a panel (30) of the oven using screws (40) which pass through the panel (30) and into holes in the core (23) of the transformer (20).

**FIG. 4**



## Description

The present invention relates to a microwave oven comprising a panel, a magnetron for generating microwaves and a high-voltage transformer, having a core, for supplying power to the magnetron, the transformer being mounted to the panel.

A known microwave oven will now be described with reference to Figures 1 and 2.

Referring to Figure 1, a microwave oven 10 comprises a cooking chamber 11 for receiving food to be cooked, a magnetron 12 for supplying microwave radiation to the chamber 11 and a high-voltage transformer 13 for supplying the high-voltage required by the magnetron 12. The transformer 13 is mounted to a lower panel 14 of the oven.

Referring also to Figure 2, the transformer 13 is mounted a bracket 13a which is in turn bolted or screwed to the panel 14.

The transformer 13 comprises a core, a primary winding 15 and a secondary winding 16. The windings 15, 16 are arranged such that the transformer's output voltage is 2100V.

Conventional microwave ovens employ one of two techniques for ensuring that food is cooked evenly. One technique employs a stirrer, comprising a rotating, metal propeller-like structure. In the other technique, the food is rotated on a turntable. The present invention is applicable to microwave ovens irrespective of the technique used to ensure even cooking.

It is an aim of the present invention to simplify the installation of high-voltage transformers in microwave ovens.

An oven according to the present invention is characterised in that the transformer is mounted to the panel by fastening means passing through the panel into said core.

Preferably, the fastening means comprises a plurality of screws. A washer may be used with each screw. Bolts or studs could be used instead of screws.

As a result of the present invention, the number of components used in manufacturing a microwave oven is reduced. The process of manufacture is also simplified.

The abandonment of a mounting bracket for the high-voltage transformer results in improved cooling.

An embodiment of the present invention will now be described, by way of example, with reference to Figures 3 and 4 of the accompanying drawings, in which:

Figure 1 is a sectional view of a conventional microwave oven;

Figure 2 is a perspective view of a conventional high-voltage transformer;

Figure 3 is an exploded perspective view of a transformer mounting arrangement according to the present invention; and

Figure 4 is a sectional view of the arrangement of Figure 3.

Referring to Figure 3, a high-voltage transformer 20 comprises a core 23, a primary winding 21 and a secondary winding 22. The primary winding 21 and the secondary winding 22 are encompassed by the core 23. The core 23 is provided with four holes 24 for receiving mounting screws 40. A panel 30 of a microwave oven is provided with four holes 31 arranged such that they can be aligned together with the holes 24 in the core 23.


Referring to Figure 4, the transformer 20 is mounted to the panel 30 by screwing screws 40 into the holes 24 in the core 24 through the holes 31 in the panel 30. Washers 40a are positioned between the heads of the screws 40 and the panel 30.

Of course, the holes 24 are positioned and dimensioned to ensure that none of the screws 40 encounters a winding 21, 22.

## Claims

1. A microwave oven comprising a panel (30), a magnetron for generating microwaves and a high-voltage transformer (20), having a core (23), for supplying power to the magnetron, the transformer being mounted to the panel, characterized in that the transformer is mounted to the panel by fastening means (40, 40a) passing through the panel into said core.
2. An oven according to claim 1, wherein the fastening means comprises a plurality of screws (40).
3. An oven according to claim 2, wherein a washer (40a) is used with each screw.
4. A high-voltage transformer assembly apparatus of a microwave oven having a high-voltage transformer for an electrical power necessary for operation of a magnetron for supplying electromagnetic waves, the apparatus for being formed with a plurality of fastening holes underneath a core surrounding an external side thereof and for being formed at a bottom panel thereof with a plurality of through holes to correspond to the plurality of fastening holes underneath the core to integrally fix a high-voltage transformer to the bottom panel by way of fastening means.
5. The apparatus as defined in claim 4, wherein the fastening means fastens the bottom panel and the high-voltage transformer through the media of washers respectively thereto.
6. The apparatus as defined in claim 4, wherein the fastening means are a plurality of bolts.

**FIG. 1**



**FIG. 2**




FIG. 3





FIG. 4





European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 96 30 7672

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	US 4 618 756 A (SCHWADERER JOHN R ET AL) 21 October 1986 * column 3, line 44 - column 4, line 38; figure 5 *	1-6	H05B6/80
A	--- PATENT ABSTRACTS OF JAPAN vol. 010, no. 058 (E-386), 7 March 1986 & JP 60 210817 A (MATSUSHITA DENKI SANGYO KK), 23 October 1985, * abstract *	1,2,4,6	
A	--- DE 36 28 563 A (MURR ELEKTRONIK GMBH) 25 February 1988		
A	--- DE 24 36 067 A (WAASNER B) 5 February 1976		
A	--- DE 40 36 482 A (WAASNER ELEKTROTECHNISCHE FABR) 21 May 1992 -----		
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H05B
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 3 April 1997	Examiner Albertsson, E
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03.92 (P04C01)

**THIS PAGE BLANK (USPTO)**